



BELLA MOSS
FOUNDATION

Kennel Wards



Peri Clinical Areas



	How often	What with	Care of cleaning materials	Person Responsible	Any Special Comments
EXAMINATION TABLE	After every use Disinfect by fogging at end of day, weekly deep clean with biofilm removal.	Disposable cloth, detergent, then disinfectant, ensuring concentration and contact time, fog disinfect with room daily. Deep clean with biofilm removal at least weekly increased frequency if infection event has occurred	Dispose of after use. Store bucket/bowl dry.	Nursing / auxillary staff	After any gross faecal/ diarrhoea event, biofilm removal may be necessary.
DOOR HANDLES	Wipe down twice daily. Spot clean any contamination at other times	Disposable cloth and detergent, then spray with disinfectant and allow to dry, wipe with disinfectant soaked microfiber cloth twice during each day. Fog disinfect with room daily.	Dispose of after use. Store bucket/bowl dry.	Nursing / auxillary staff	Ensure proper hand washing by all staff before and after handling any patient and after cleaning cages.
SINKS	Clean at least at the end of the day and after any significant contamination event.	Scrub with abrasive cleaner (e.g. Cif), then rinse and spray disinfect. Bleach the drains at least once daily.	Dispose of cloth after use.	Nursing / auxillary staff	Often cleaned inadequately
SOAP DISPENSERS	Wipe clean at least twice daily	Disposable cloth and spray disinfectant, fog disinfect with room daily.	Dispose of cloth after use.	Nursing / auxillary staff	

	How often	What with	Care of cleaning materials	Person Responsible	Any Special Comments
FLOOR	Vacuum / sweep and mop midday. Full clean at the end of day	Vacuum / sweep and mop. Colour coded microfibre mop and bucket. Full clean at the end of day. Fog disinfect with room at end of each day. Deep clean with biofilm removal twice weekly.	Empty bag on vacuum cleaner at end of day. Mop bucket cleaned after use & stored inverted to dry. Mop head disinfected daily.	Nursing / auxillary staff	Must be deep cleaned after patients leave.
KENNEL DOORS	Clean after use by each patient or whenever soiled	Clean with detergent. Spray with disinfectant, appropriate concentration and contact time. Disinfect by fogging with room daily. Clean and spray disinfect after each use. Deep clean with biofilm removal at least weekly or after any significant diarrhoea event.	Dispose of cloth after use. Store bucket / bowl dry. Clean disinfectant spray bottles once empty.	Nursing / auxillary staff	Every cage must be properly recleaned prior to use by a new patient.
FOMITES (BOWLS, FORK, SPOONS) 1	Clean after use, disinfect at least daily	Washing with warm water and washing up liquid, disinfect by submersion for contact time, dry naturally.	Dispose of cloth daily.	Nursing / auxillary staff	
LEADS 1	Clean when soiled, preferably dispose after each patient	Soak in disinfectant, then wash on hot machine wash.	Wash at least once daily.	Nursing / auxillary staff	

	How often	What with	Care of cleaning materials	Person Responsible	Any Special Comments
BEDDING 1	See laundry protocol				
CAGES/BASKETS	Clean after use by each patient, or whenever soiled	Preferably achieve by submersion, detergent first, then disinfectant for appropriate contact time, allow to dry naturally.	Dispose of cloth after use. Store bucket / bowl dry.	Nursing / auxillary staff	Clients' baskets and cages should never be admitted. Practice cages etc should be easily cleaned by submersion, prior to disinfection by submersion.
CLIPBOARDS/ DOOR FURNISHINGS	Clean after use for each patient, or whenever soiled	Clean using detergent then disinfect with damp cloth/spray, then disinfect by fogging daily. Deep clean when patient leaves/ weekly.	Dispose of cloth after use. Store bucket / bowl dry. Clean disinfectant spray bottles once empty or sooner if indicated.	Nursing / auxillary staff	
SPRAY BOTTLES	At least twice daily	Wipe with disinfectant-soaked disposable cloth. Deep clean with biofilm removal after each use of room. Daily disinfection by fogging with room.	Dispose of cloth after use.	Nursing / auxillary staff	
THERMOMETERS	Clean immediately after each use	Preferably use thermometer covers, wipe with disinfectant-soaked single use swab. Deep clean with biofilm removal after any infectious event or every 48 hours	Dispose of cloth / swab after each use.	Nursing / auxillary staff	

	How often	What with	Care of cleaning materials	Person Responsible	Any Special Comments
SWITCHES & SOCKETS	Clean once daily	Wipe with disinfectant cloth, fog disinfect daily with room.	Dispose of cloth after use.	Nursing / auxillary staff	
STAFF	See attire protocol				
WASTE BIN	Empty and clean at least daily, more often if contaminated	Disposable cloth and detergent, then spray disinfectant. Deep clean and biofilm removal weekly.	Dispose of cloth after use. Store upside down until dry, place new liner.	Nursing / auxillary staff	
TERMINAL CLEAN	Any effected area, after each infectious patient leaves	Disposable detergent soaked cloth then spray disinfect, disinfectant fog daily with room	Dispose of cloth after use.	Nursing / auxillary staff	
WALLS	Wash down walls daily. Spot clean any dirty areas between procedures. Disinfect by fogging daily, with rest of room.	Disposable cloth, spray disinfectant, disinfectant fog daily with room, deep clean once weekly or after infectious patient leaves.	Dispose of cloth after use. Store bucket / bowl dry.	Nursing / auxillary staff	

	How often	What with	Care of cleaning materials	Person Responsible	Any Special Comments
DOORS	Wipe down at least once daily. Spot clean any dirty areas between procedures. Fog disinfect with room daily.	Disposable detergent soaked cloth, spray disinfectant, fog disinfect with room daily. Deep clean with biofilm removal weekly.	Dispose of cloth after use. Store bucket / bowl dry.	Nursing / auxillary staff	
CEILING	Vacuum / Dust daily wipe down weekly. Fog disinfect with room daily.	Disposable cloth and extending handle, fog disinfectant daily with room.	Dispose of cloth after use.	Nursing / auxillary staff	
BLINDS	Do not use blinds in a ward area, if you need to darken the ward, use solid plastic wipeable shutters.	Disposable detergent soaked cloth, spray disinfectant, or washing machine, fog disinfect daily with room.	Dispose of cloth after use. Store bucket / bowl dry. See laundry policy.	Nursing / auxillary staff	Blinds in a ward environment must be cleanable and disinfect able.
WINDOWS	Clean glass weekly. Dust, wipe, fog disinfect with room daily.	Disposable detergent soaked cloth, spray disinfectant, fog disinfect with room daily. Deep clean windowsill weekly, with biofilm removal.	Dispose of cloth after use. Store bucket / bowl dry.	Nursing / auxillary staff	
RADIATORS	Wipe down daily, fog disinfect with room daily.	Disposable detergent soaked cloth	Dispose of cloth after use. Store bucket / bowl dry.	Nursing / auxillary staff	

	How often	What with	Care of cleaning materials	Person Responsible	Any Special Comments
AIR CON UNITS	Deep clean weekly, fog with room daily.	Vacuum cleaner, disposable cloth, deep clean with biofilm remover, spray with disinfectant allow to dry naturally. Fog with disinfectant daily.	Empty bag on vacuum cleaner at end of day. Mop bucket cleaned after use & stored inverted to dry.	Nursing / auxillary staff	
EXTRACTOR FANS	Dismantled and deep clean internally and externally weekly, fog with room daily.	Disposable cloth.	Dispose of cloth after use.	Nursing / auxillary staff	Foul air must be extracted i.e. externally from any ward area.

